

# INDEX

In this index the use of **bold** in the page range indicates major coverage of that subject.  
The use of T behind a page number refers the reader to the *Mental Health Tool Kit*.

## A

- About My Feelings, 38–39T, 100–101T
- absenteeism (school), 162
- abuse (child)
  - . *See* child maltreatment
- abuse (domestic)
  - . *See* domestic violence
- abuse (physical)
  - . *See* child maltreatment; domestic violence
- abuse (sexual)
  - . *See* sexual abuse
- abuse (verbal), 92, 141–142T
  - . *See also* child maltreatment
- acknowledgments, xxv–xxvi
- acute stress disorder, 194–195, 346
  - . *See also* anxiety disorders
- ADHD (attention deficit hyperactivity disorder), **203–211**
  - . *See also* learning problems and disorders
  - in adolescence, 204–205, 349, 350
  - anxiety disorders and, 196, 205
  - conduct disorder (CD) and, 291
  - diagnostic criteria, 205, 349–351
  - disorders associated with, 205
  - in early childhood, 204–205, 349, 350
  - families of children with, 207–208
  - hyperactive impulsive behavior problem, 204, 349–350
  - hyperactivity, 351
  - impulsivity, 351
  - inattention problem, 204, 349, 350–351
  - in infancy, 204–205, 349, 350
  - interventions, 206–210
  - learning problems and disorders and, 205, 254
  - in middle childhood, 204–205, 349, 350
  - mood disorders and, 205
  - oppositional and aggressive behaviors and, 205, 294
  - pharmacological interventions, 210
  - resources (organizations and information), 209, 210
  - the school's role in children with, 208–209
  - statistics, 203
  - with substance use problems and disorders, 333
  - symptoms, 205
  - Vanderbillt ADHD Diagnostic Teacher Rating Scale, 54–56T
- adolescence, **125–175**, 47–52T, 123–137T
  - introduction, 126–127
- ADHD (attention deficit hyperactivity disorder), 204–205, 349, 350
- allowances (spending money), 154
- anger management, 135T
- anxiety disorders, 192–194, 342
- bipolar disorder, 131, 271, 274
- body image/appearance, 134–136
- chores (household), 153–154
- cognitive growth, 147
- college transitions, 164–165
- conduct disorder (CD), 293
- curfews, 152
- dating violence, 130–131T
- death causes, 125, 331
- depression in, 7, 131–132, 271–273, 278, 57–58T, 126T, 147T
- developmental stages, 125
- discipline in, 128
- driving during, 152–153
- dysthymic disorder, 272
- eating disorders, 135, 234
- the family in, 145–154
- firearms and, 169–170
- friendships/peer relationships, 146–147, 149–151, 155–158, 163
- hyperactivity/impulsive behavior problem, 204
- identity and independence, 145–146, 148
- inattention problem, 204
- learning problems and disorders, 252, 256, 355
- leisure activities, 155–158
- the loner, 147
- mental retardation, 263, 264
- moodiness during, 130–131
- obsessive compulsive disorder (OCD), 196
- oppositional and aggressive behaviors, 292–293, 361–362
- panic disorder, 193

- parental relationships, 128–129, 148–149, 48–50T, 132–134T
- pervasive developmental disorders (PDD), 318–319, 365
- posttraumatic stress disorder (PTSD), 195
- pregnancy/parenting during, 140–141
- resources (organizations and information), 139, 144, 147, 151, 129T
- responsibility, learning during, 151–154
- risk-taking behavior, 165–167
- school functioning, 130, 160–165
- self-esteem, 127–130, 134
- sexual abuse/assault, 142–143
- sexuality/sexual behavior, 134, 136–144, 51T, 127–128T
- substance use, 132, 170–173, 331, 368, 369, 148T
- suicide in, 125, 133, 276–277, 291
- violent behavior during, 167–170
- work and, 148, 156–157, 164–165
- Adolescence Checklist, 175, 52T
- Age-Specific Observations of the Parent-Child Interaction, 24–25T
- aggression
  - . *See also* oppositional and aggressive behaviors; violence
  - anger management, 58, 151, 102T, 135T, 141–142T
  - biting as, 73
  - bullying, 106, 107, 87T, 115–116T
  - chronically aggressive children, 73
  - disciplining, 72
  - in early childhood, 71–72
  - in middle childhood, 107
  - self-control of, 71–72
  - between siblings, 87T
- aggressive/oppositional problem, 292, 360–362
  - . *See also* oppositional and aggressive behaviors
- alcohol use
  - . *See* substance use
- allowances (spending money), 154
- anger management
  - . *See also* aggression; violence
  - family conflict, 151
  - temper tantrums, 58
  - tools for, 102T, 135T, 141–142T
- anorexia nervosa, 234, 353
  - . *See also* eating disorders
- Anticipatory Guidance on Sex and Sexuality for the Adolescent, 51T
- anxiety disorders, 191–202
  - acute stress disorder, 194–195, 346
  - ADHD (attention deficit hyperactivity disorder) and, 196, 205
  - in adolescence, 192–194, 342
  - anxiety problem, 192, 341–341
  - the anxious child, 94, 105, 96–97T
  - diagnostic criteria, 192–196, 341–348
  - disorders associated with, 196
  - in early childhood, 192–194
  - eating disorders and, 235
  - family/friends help, 198
  - generalized anxiety disorder (GAD), 192, 342–343
  - in infancy, 192–194, 341
  - the inhibited child, 94
  - interventions, 196–200
  - in middle childhood, 192–194, 341
  - obsessive compulsive disorder (OCD), 195–196, 235, 348
  - panic disorder, 193, 199, 343
  - posttraumatic stress disorder (PTSD), 191, 194–195, 346–347
  - resources (organizations and information), 200–201
  - school avoidance, 199–200
  - the school’s role in children with, 198–199
  - separation anxiety disorder, 194, 345
  - social phobia, 193, 344–345
  - specific phobia, 193, 344–345
  - statistics, 191
  - with substance use problems and disorders, 333
  - symptoms, 192–196
- anxiety problem, 192, 341–342
  - . *See also* anxiety disorders
- the anxious child, 94, 105, 96–97T
  - . *See also* anxiety disorders
- Asperger’s disorder, 320, 322, 367–368
  - . *See also* pervasive developmental disorders (PDD)
- Assessing and Reinforcing Your Child’s Self-Esteem, 94T
- at-risk identification
  - family/families, 35
  - school readiness, 76–78
- attachment, 29–32, 313, 24–25T
- autistic disorder, 317, 318–319, 322, 324–325, 365–366
  - . *See also* pervasive developmental disorders (PDD)

## B

- bed-wetting (enuresis), 96, 103–104T
- bedtime, 53, 54
  - . *See also* sleep patterns
- Behavioral Current Procedure Terminology (CPT) codes, 9T
- bereavement/grief in childhood, 283–286
  - . *See also* Mood Disorders: Depressive and Bipolar Disorders
- bipolar disorder
  - . *See* Mood Disorders: Depressive and Bipolar Disorders
- biting, 73
  - . *See also* aggression
- body image, 95–96, 134–136, 237
  - . *See also* eating disorders
- breastfeeding, 21, 30
- bulimia nervosa, 234, 353–354
  - . *See also* eating disorders
- bullying, 106, 107, 87T, 115–116T
  - . *See also* aggression

## C

- CALM listening skills for diffusing anger, 135T
- CCA-PC (Cultural Competence Assessment—Primary Care), 19–20T
- CD (conduct disorder)
  - . *See* conduct disorder (CD)
- CES-DC (Center for Epidemiological Studies Depression Scale for Children), 57–58T
- charting positive behavior, 83T
- child care, 9, 43, 74–75T
- child maltreatment, 213–225
  - . *See also* sexual abuse
  - abuse, diagnostic criteria, 214, 352
  - bed-wetting in, 96
  - diagnostic criteria, 352
  - disorders associated with, 214
  - the family in, 218–220
  - Handling Anger and Countering Abuse in the Community, 141–142T
  - interventions, 215–220
  - juvenile offenders and, 291
  - Munchausen syndrome by proxy, 221–222
  - neglect, diagnostic criteria, 214, 352
  - oppositional and aggressive behaviors and, 294
  - preventing, 142T
  - quality of nurture problem, 214, 352
  - resources (organizations and information), 220, 223–224, 142T
  - statistics, 213
  - traumatic events, 63
  - verbal abuse, 92, 141–142T
- child neglect/abuse
  - . *See* child maltreatment
- childhood disintegrative disorder, 320, 322, 366
  - . *See also* pervasive developmental disorders (PDD)
- childhood (early)
  - . *See* early childhood
- childhood (middle)
  - . *See* middle childhood
- co-sleeping arrangements, 24–25, 53
  - . *See also* sleep patterns
- coding, Current Procedure Terminology (CPT) codes, 9T
- cognitive development, 36–38, 147
- Common Signs of Depression in Children and Adolescents, 147T
- Communicating with Children, 84–85T
- communication
  - . *See also* listening skills
  - CALM listening skills for diffusing anger, 135T
  - in early childhood, 84–85T
  - in families, 98–99, 105T
  - loving your child, 100, 124T
  - in middle childhood, 95T
  - in problem solving, 106T
  - resources (organizations and information), 70
  - in school readiness, 91–92T
  - television opportunities for, 108T
- communication disorders, 254
  - . *See also* learning problems and disorders
- community resources for children with
  - . *See also* resources (organizations and information)
  - ADHD (attention deficit hyperactivity disorder) and, 209
  - domestic violence in the home, 231
  - maltreatment, 220
  - oppositional and aggressive behaviors, 300
  - parental depression in the home, 307
  - postpartum mood disorders in the home, 315
  - substance use problems and disorders, 337
- computers use (Tools), 109–110T, 111T
  - . *See also* media

conduct disorder (CD), 205, 291, 293, 362–363  
 . *See also* oppositional and aggressive behaviors  
 with substance use problems and disorders, 333

continuity of care, 4

contributors, xxvii, xvii–ixT

Controlling the Video and Computer Game Playgroup,  
 109–110T

corporal punishment  
 . *See* discipline

CPT (Current Procedure Terminology) codes, 9T

crying in infants, 23, 25–26, 68–69T

cultural competence, 6, 19–20T

Cultural Competence Assessment—Primary Care (CCA-PC),  
 19–20T

curfews in adolescence, 152

Current Procedure Terminology (CPT) codes, 9T

## D

daycare, 9, 43, 74–75T

decision making tools, 95T

depression  
 . *See* Mood Disorders: Depressive and Bipolar Disorders

developmental coordination disorder, 254  
 . *See also* learning problems and disorders

dieting for weight loss/gain  
 . *See* body image; eating disorders

discipline  
 . *See also* limit setting

in adolescence, 128

of aggression, 72

anger management, 141–142T

bullying, 87T

early childhood, 59, 72, 32T, 88T

fighting among siblings, 87T

homework problems, 42–43T

How to Help Families Stop Spanking, 32T

in infancy, 19

learning right from wrong, 59

in middle childhood, 99–100

resources (organizations and information), 72

spanking, 32T

time out, 88T

Discussing Substance Use, 63T

divorce/separation, 101–102, 113–114T

Documentation for Reimbursement, 8T

domestic violence, 9, 227–232  
 . *See also* violence

Down syndrome, 261  
 . *See also* mental retardation

driving in adolescence, 152–153

drug use  
 . *See* substance use

dyscalculia (mathematics disorder), 253, 356  
 . *See also* learning problems and disorders

dyslexia (reading disorder), 77, 252–253, 355, 34T  
 . *See also* learning problems and disorders

dysthymic disorder, 272, 304, 357–358, 364  
 . *See also* Mood Disorders: Depressive and Bipolar  
 Disorders

## E

early childhood, 49–85, 29–35T, 77–92T

introduction, 51

ADHD (attention deficit hyperactivity disorder),  
 204–205, 349, 350

aggression in, 71–73

aggressive/oppositional behaviors, 292

anxiety in, 192–194, 341, 78–79T

bedtime, 53, 54

bedwetting (enuresis), 103–104T

biting, chronic, 73

communication, 63, 69, 84–85T

competency development, 61–62, 63

cooperation skills, 64–65

depression in, 7, 273, 278, 147T

discipline during, 59, 72, 32T, 81T, 88T

eating and eating disorders, 54–55, 234

the family in, 64–68

friendships, 69–73

hyperactivity/impulsive behavior problem, 204

inattention problem, 204

independence, 54–55, 57

interviewing during, 32T

learning problems and disorders, 252, 255, 354

mental retardation, 263, 264

moral development, 59

obsessive compulsive disorder (OCD), 195

oppositional and aggressive behaviors, 292–293,  
 361–362

panic disorder, 193

the parental relationship, 51

pervasive developmental disorders (PDD), 318–319,  
 365

posttraumatic stress disorder (PTSD), 195

- resources (organizations and information), 70–71
  - school readiness, 74–78, 89–92T
  - self-care, 57
  - self-control, 52–59, 71–73
  - self-esteem, 60–63
  - self-soothing behaviors, 53
  - sibling relationships, 65–68
  - sleep patterns, 53–54
  - special time guidelines, 82T
  - substance use, 148T
  - temper tantrums, 58
  - temperament in, 52–53, 58, 62–63
  - toilet learning, 55–56
  - vulnerable child syndrome, 65
  - Early Childhood Checklist, 85, 35T
  - eating disorders, **233–249**
    - . *See also* body image
    - in adolescence, 135, 234
    - anorexia nervosa, 234, 353
    - anxiety disorders and, 235
    - assessment/screening, 237–239
    - begging for food, 55
    - bipolar disorder and, 235
    - bulimia nervosa, 234, 353–354
    - depression and, 235
    - diagnostic criteria, 353–354
    - disorders associated with, 235
    - in early childhood, 55, 234
    - families of children with, 242
    - gorging, 55
    - in infancy, 234
    - interventions, 236–242
    - in middle childhood, 234
    - non-specific, 235
    - obesity, 244–247
    - obsessive compulsive disorder (OCD) and, 235
    - referral for services, 239–241
    - refusing food, 55
    - resources (organizations and information), 243
    - the school's role in children with, 242–243
    - sexual abuse and, 235
    - signs of, 237–238
    - statistics, 233
    - substance abuse and, 235
  - eating/feeding
    - in early childhood, 54–55, 234
    - in infancy, 21–23, 29, 30
  - Edinburgh Postnatal Depression Scale (EPDS), 59–60T
  - enuresis (bed-wetting), 96, 103–104T
  - EPDS (Edinburgh Postnatal Depression Scale), 59–60T
- F**
- family/families
    - . *See also* parents/parenting; siblings
    - in adolescence, 145–154
    - at-risk identification, 35
    - conflict/cooperation in, 64–65, 151, 162, 169
    - divorce/separation, 101–102, 113–114T
    - in early childhood, 64–68
    - eating together, 54
    - extended family, 150
    - Family Meetings, 105T
    - in infancy, 28–35
    - listening/communication importance, 98–99
    - in middle childhood, 97–102
    - prenatal adjustment in, 26T, 71T, 86–87T
    - problem solving, 99–100, 106T
    - socialization in, 69–71
    - time together, 97–98
    - violence prevention role, 168–169
  - Family Meetings, 105T
  - the family of children with
    - ADHD (attention deficit hyperactivity disorder) and, 207–208
    - anxiety disorders, 198
    - depressive and bipolar disorders, 278–279
    - domestic violence in the home, 228–229
    - eating disorders, 242
    - learning problems and disorders, 256–257
    - maltreatment, 218–220
    - mental retardation, 265–266
    - oppositional and aggressive behaviors, 295–297
    - pervasive developmental disorders (PDD), 326
    - postpartum mood disorders in the home, 314–315
    - substance use problems and disorders, 335–336
  - Family Psychosocial Screen
    - . *See* Pediatric Intake Form
  - fears in childhood, 56, 78–79T, 96–97T
    - . *See also* anxiety disorders
  - Fears in Early Childhood, 78–79T
  - firearms, 169–170, 227
  - Fostering Comfortable Sleep Patterns in Infancy, 70T
  - Fostering Family Adjustment Prenatally, 26T
  - FRAMES principles, 63T

## friendships

- in adolescence, 146–147, 149–151, 155–158, 163, 132–134T
- conflict in, 106–107
- developing, 70–71, 103–106, 108
- in early childhood, 69–73
- isolation/friendlessness, 107–108
- in middle childhood, 103–108
- resources (organizations and information), 70–71
- self-control in, 71–73
- self-esteem and, 104
- socialization role of, 66–67, 69–71
- friendships and children with
  - depressive and bipolar disorders, 278–279
  - mental retardation, 266
  - oppositional and aggressive behaviors, 299
  - pervasive developmental disorders (PDD), 327
  - substance use problems and disorders, 335–336

## G

- GAD (generalized anxiety disorder)
  - . *See* generalized anxiety disorder (GAD)
- generalized anxiety disorder (GAD), 192, 342–343
  - . *See also* anxiety disorders
- grief/bereavement in childhood, 283–286
  - . *See also* Mood Disorders: Depressive and Bipolar Disorders
- Guidelines for Special Time, 82T

## H

- Handling Anger and Countering Abuse in the Community, 141–142T
- Helping Siblings Adjust to the New Baby, 71T
- Helping Siblings Get Along, 86–87T
- high-risk behaviors
  - . *See* risk-taking behavior
- Homework Problems, 42–43T
- Homework Tips, 119T
- How to Address Bullying, 115–116T
- How to Handle Anger, 102T
- How to Help Families Stop Spanking, 32T
- How to Help Your Child or Adolescent Resist Drugs, 148T
- How to Soothe a Crying Baby, 68–69T
- human figure drawing in interviewing, 33T
- hyperactive impulsive behavior problem, 204, 349–350
  - . *See also* ADHD (attention deficit hyperactivity disorder)

## I

- impulsive behavior
  - . *See* ADHD (attention deficit hyperactivity disorder)
- inattention problem, 204, 349, 350–351
  - . *See also* ADHD (attention deficit hyperactivity disorder)
- Individualized Education Program (IEP), 77, 120T
- Individualized Education Program (IEP) Meeting Checklist, 120–121T
- Individualized Family Service Plan (IFSP), 77
- Individuals with Disabilities Education Act (IDEA), 77
- infancy, 15–48, 23–27T, 67–75T
  - introduction, 17
  - ADHD (attention deficit hyperactivity disorder), 204–205, 349, 350
  - anxiety disorders, 192–194, 341
  - attachment, 29–32, 313, 24–25T
  - child care during, 9, 43, 74–75T
  - cognitive development, 36–38
  - crying in, 23, 25–26, 68–69T
  - depression symptoms, 273
  - discipline, 19
  - eating and eating disorders, 21–23, 29, 30, 234
  - family formation during, 33–35
  - health care needs during, 20, 26
  - hyperactivity/impulsive behavior problem, 204
  - inattention problem, 204
  - learning problems and disorders, 252, 354
  - mental retardation, 263, 264
  - obsessive compulsive disorder (OCD), 195
  - oppositional and aggressive behaviors, 361–362
  - panic disorder, 193
  - the parental relationship, 20
  - pervasive developmental disorders (PDD), 318–319, 365
  - postpartum mood disorders effect in, 29, 34–35, 313–314
  - the postpartum period, 34–35
  - posttraumatic stress disorder (PTSD), 195
  - self-regulation in, 21–28
  - self-soothing behaviors, 24, 26
  - siblings, 20–21, 33
  - SIDS (Sudden Infant Death Syndrome), 24
  - sleep/wake behavior, 23–25, 70T
  - socialization, 25–26, 31
  - stimulation methods/importance, 36–43, 72–73T
  - temperament in, 18–20

- Infancy Checklist, 48, 27T  
 the inhibited child, 94  
   . *See also* anxiety disorders  
 Internet, 111T  
   . *See also* media  
 interviewing in early childhood, 76–77, 32T  
 Issues Checklist, 48–50T
- J**
- juvenile offenders  
   child maltreatment and, 291  
   learning problems and disorders and, 251
- L**
- LD (learning disabilities)  
   . *See* learning problems and disorders  
 Learning Disabilities: An Action Plan, 145T  
 Learning Disabilities: Common Signs, 143–144T  
 learning disabilities (LD)  
   . *See* learning problems and disorders  
 learning problems and disorders, 251–260  
   . *See also* ADHD (Attention Deficit Hyperactivity Disorder)  
   ADHD (attention deficit hyperactivity disorder) and, 205, 254  
   in adolescence, 252, 256, 355, 144T  
   communication disorders and, 254  
   defined, 251  
   developmental coordination disorder and, 254  
   diagnostic criteria, 252–253, 255–256, 354–356  
   disorders associated with, 254  
   in early childhood, 252, 255, 354, 143–144T  
   the family role, 256–257, 145T  
   in infancy, 252, 354  
   interventions, 254–258  
   juvenile offenders and, 251  
   mathematics disorder (dyscalculia), 253, 356  
   in middle childhood, 252, 255–256, 354–355, 144T  
   reading disorder (dyslexia), 77, 252–253, 355, 34T  
   resources (organizations and information), 259, 146T  
   school readiness evaluation, 76–78  
   the school's role in children with, 257–258  
   self-esteem and, 254  
   signs common to, 143–144T  
   statistics, 251  
   symptoms, 252–253, 255–256  
   Vanderbillt ADHD Diagnostic Teacher Rating Scale, 54–56T  
   written expression disorder, 253, 356
- limit setting  
   . *See also* discipline  
   in early childhood, 59, 81T  
   problem solving and, 99–100
- listening skills  
   . *See also* communication  
   for diffusing anger (CALM), 135T  
   early childhood communication, 63, 69, 84–85T  
   in families, 98–99  
   school readiness, 91–92T  
 the loner adolescent, 147  
 loving your child, 100, 124T
- M**
- major depressive disorder/episode  
   . *See* Mood Disorders: Depressive and Bipolar Disorders  
 maltreatment of children  
   . *See* child maltreatment  
 maternal blues  
   . *See* postpartum mood disorders  
 mathematics disorder (dyscalculia), 253, 356  
   . *See also* learning disabilities  
 media  
   Internet safety tips, 111T  
   role in violent behavior, 115  
   television watching, 76, 107–108T  
   video/computer use tools, 109–110T, 111T  
 mental health overview, xvi–xvii  
 mental retardation, 261–270  
   introduction, 261–262  
   in adolescence, 263, 264  
   assessment, 264  
   defined, 261  
   diagnostic criteria, 263, 356–357  
   disorders associated with, 263–264  
   in early childhood, 263, 264  
   family/friends and, 265–266  
   in infancy, 263, 264  
   interventions, 264–267  
   in middle childhood, 263, 264  
   resources (organizations and information), 266–269  
   the school's role in children with, 266–267  
   statistics, 261  
   symptoms, 263

- middle childhood, 87–121, 37–46T, 93–124T  
 introduction, 89  
 ADHD (attention deficit hyperactivity disorder), 204–205, 349, 350  
 anger management, 102T  
 anxiety disorders, 192–194, 341  
 bed-wetting (enuresis), 96, 103–104T  
 bipolar disorder, 274  
 body image, 95–96  
 conduct disorder (CD), 293  
 decision-making learned, 95T  
 depression in, 7, 273, 278, 147T  
 divorce/separation adaptation, 101–102, 113–114T  
 dysthymic disorder, 272  
 eating disorders, 234  
 the family in, 97–102  
 friendships, 103–108  
 hyperactivity/impulsive behavior problem, 204  
 inattention problem, 204  
 learning problems and disorders, 252, 255–256, 354–355  
 listening/communication importance, 98–99  
 mental retardation, 263, 264  
 obsessive compulsive disorder (OCD), 196  
 oppositional and aggressive behaviors, 292–293, 361–362  
 panic disorder, 193  
 pervasive developmental disorders (PDD), 318–319, 365  
 posttraumatic stress disorder (PTSD), 195  
 problem solving, 99–100, 106T  
 resilience development, 92–93  
 respect skills, 112T  
 risk-taking behavior, 93–94, 114–115  
 school functioning, 109–115, 42–43T, 98–99T, 119T  
 self-esteem/inner life, 90–96, 94T  
 sexuality/sexual behavior in, 95–96  
 substance use, 114–115, 368, 369, 148T  
 television watching, 115, 107–108T  
 video/computer games, 109–110T  
 Middle Childhood Checklist, 121, 46T  
 Mood Disorders: Depressive and Bipolar Disorders, 271–289  
 . *See also* parental depression; postpartum mood disorders  
 ADHD (attention deficit hyperactivity disorder) and, 205
- adolescence  
 bipolar disorder, 274  
 depression, 7, 131–132, 134, 271–273, 278, 57–58T, 126T, 147T  
 assessment/testing, 275–276, 57–60T  
 bipolar disorder, 131, 235, 271, 273–274, 294, 360  
 depression  
 adolescent, 7, 131–132, 271–273, 278, 57–58T, 126T, 147T  
 assessment/testing, 57–60T  
 in early childhood, 7, 273, 278, 147T  
 in infancy, 273  
 major depressive disorder/episode, 131, 271, 272–273, 294, 303–304, 358–360  
 in middle childhood, 7, 273, 278, 147T  
 signs of, 126T, 147T  
 statistics, 303  
 stigma, 7, 278  
 symptoms, 272–273  
 treatment options, 132  
 diagnostic criteria, 357–360  
 disorders associated with, 274  
 dysthymic disorder, 272, 304, 357–358  
 in early childhood, 7, 273, 278, 147T  
 eating disorders and, 235  
 family/friends and, 278–279  
 grief/bereavement in childhood, 283–286  
 in infancy, 273  
 interventions, 275–282  
 in middle childhood, 7, 272, 273, 274, 278, 147T  
 oppositional and aggressive behaviors and, 294  
 pharmacological interventions, 281–282  
 referral for services, 133, 279–281  
 resources (organizations and information), 282, 286–287  
 the school's role, 279  
 statistics, 271  
 stigma, 7, 278  
 with substance use problems and disorders, 333  
 mourning  
 . *See* grief/bereavement  
 Munchausen syndrome by proxy, 221–222  
 . *See also* child maltreatment  
 My School Sheet, 40–41T, 117–118T

## N

neglect  
 . *See* child maltreatment

## O

obesity, 244–247  
 . *See also* eating disorders  
 obsessive compulsive disorder (OCD), 195–196, 235, 348  
 . *See also* anxiety disorders

OCD (obsessive compulsive disorder)  
 . *See* obsessive compulsive disorder (OCD)

ODD (oppositional defiant disorder)  
 . *See* oppositional defiant disorder (ODD)

oppositional and aggressive behaviors, 291–302  
 ADHD (attention deficit hyperactivity disorder) and,  
 205, 294

in adolescence, 292–293, 361–362  
 aggressive/oppositional problem, 292, 360–362  
 conduct disorder (CD), 205, 291, 293, 362–363  
 depression and, 294

diagnostic criteria, 292–293, 360–363

disorders associated with, 291, 294

in early childhood, 292–293, 361–362

the family role, 295–297

friendships and, 299

in infancy, 361–362

interventions, 294–300

in middle childhood, 292–293, 361–362

oppositional defiant disorder (ODD), 293, 362

resources (organizations and information), 300–301

the school's role in children with, 299–300

statistics, 291

substance use problems and disorders and, 294  
 symptoms, 292–293

oppositional defiant disorder (ODD), 293, 362  
 . *See also* oppositional and aggressive behaviors

oppositionality

. *See* oppositional and aggressive behaviors

organizational resources

. *See* resources (organizations and information)

## P

panic disorder, 193, 199, 343  
 . *See also* anxiety disorders

parent-child relationships

adolescents, 128–129, 48–50T

age-specific observations of interactions, 24–25T

in early childhood, 51

homework problems, 42–43T, 119T

in infancy, 20, 29–32, 313, 24–25T

Issues Checklist, 48–50T

new infants at home, 26T, 71T, 86–87T

responsible decision-making rules, 95T

self-esteem development and, 60–63, 93

special time guidelines, 82T

“Wit’s End” (Barry), 132–134T

parental depression, 303–316

. *See also* Mood Disorders: Depressive and Bipolar

Disorders; postpartum mood disorders

adjustment disorders, 364

attachment difficulties with, 32

diagnostic criteria, 304, 363–364

disorders associated with, 304

dysthymic disorder, 304, 364

families of children with, 303

interventions, 305–307

major depressive episode, 303–304

resources (organizations and information), 307

statistics, 303

symptoms, 304

Parent’s Checklist for School Entry and After, 89T

parents/parenting

. *See also* family/families

adolescents as, 35, 140–141

Age-Specific Observations of the Parent-Child

Interaction, 24–25T

anger management, 141–142T

authoritative/permissive, 148–149

critical/detached, 61

injury prevention role, 166–167

Parents’ Roles in Teaching Respect, 112T

protective factors for young parents, 35

separation issues, 54, 57, 148

substance abuse by, 53, 173

teaching respect/responsibility, 100–101, 151–154,  
 95T, 112T

Parents’ Roles in Teaching Respect, 112T

PDD (pervasive developmental disorders)

. *See* pervasive developmental disorders (PDD)

Pediatric Intake Form, 4–7T

Pediatric Symptom Checklist (PSC), 16–17T

Pediatric Symptom Checklist-Youth Report (Y-PSC), 18T

peer relationships/influence

. *See* friendships

pervasive developmental disorders (PDD), **317–330**

- in adolescence, 318–319, 365
  - Asperger's disorder, 320, 322, 367–368
  - autistic disorder, 317, 318–319, 322, 324–325, 365–366
  - childhood disintegrative disorder, 320, 322, 366
  - comparison of, 322
  - diagnostic criteria, 318–321, 364–368
  - in early childhood, 318–319, 365
  - family/friends and, 326–327
  - in infancy, 318–319, 365
  - interventions, 323, 326–328
  - in middle childhood, 318–319, 365
  - non-specific, 321, 368
  - resources (organizations and information), 328–329
  - Rett's disorder, 319–320, 322, 366
  - the school's role in children with, 327–328
  - social withdrawal problem, 318, 364–365
  - statistics, 317
  - symptoms, 318–321
- phobias, 193, 344–345
- . *See also* anxiety disorders
- physical abuse
- . *See* child maltreatment
- physical appearance
- . *See* body image
- popularity
- . *See* friendships
- Postcard Satisfaction Survey, 13T
- postpartum mood disorders, **308–315**
- . *See also* Mood Disorders: Depressive and Bipolar Disorders; parental depression
- adjustment disorders, 364
- assessment, 59–60T
- attachment and, 29, 34
- depression, 29, 34, 309, 312, 363–364, 57–58T, 59–60T
- diagnostic criteria, 309–310, 363–364
- disorders associated with, 310
- dysthymic disorder, 364
- infants/children and mothers with, 29, 34–35, 313–314
- interventions, 310–315
- postpartum blues, 29, 34, 309, 312
- the postpartum period, 34
- postpartum psychosis, 310
- referral for services, 312–313
- resources (organizations and information), 315
- statistics, 308
- suicide and, 312

- symptoms, 309–310
- posttraumatic stress disorder (PTSD), 191, 194–195, 346–347
- . *See also* anxiety disorders
- potty training
- . *See* toilet learning
- praise
- charting positive behavior, 83T
  - self-esteem development, 63, 91
- Preparation for School Entry: Communication Skills, 91–92T
- Preparing Your Child for School, 90T
- preschoolers
- . *See* early childhood
- Preventing Child Sexual Abuse, 140T
- Principles of Limit Setting, 81T
- problem-solving, 69, 99–100, 106T
- PSC (Pediatric Symptom Checklist), 16–17T
- PTSD (posttraumatic stress disorder)
- . *See* posttraumatic stress disorder (PTSD)
- punishment
- . *See* discipline

## Q

- quality of nurture problem
- . *See* child maltreatment

## R

- rape, 142–143
- . *See also* sexual abuse
- reading disorder (dyslexia), 77, 252–253, 355, 34T
- . *See also* learning disabilities
- Reading for Children, Grades 1-6, 98–99T
- referral for services
- introduction, 7–8
  - absenteeism (school), 162
  - depressive and bipolar disorders, 279–280
  - eating disorders, 239–241
  - forms for, 14–15T
  - mental health problems/disorders, 10
  - postpartum mood disorders, 312–313
  - suicidal intent, 133
  - truancy, 162
  - types of, 9
- Rehabilitation Act, 78
- reimbursement, 3–4, 8T

relationships  
 . *See* friendships

resources (organizations and information)  
 ADHD (attention deficit hyperactivity disorder), 209, 210  
 on adolescence, 139, 144, 147, 151, 129T  
 anxiety disorders, 200–201  
 child care, 9  
 child maltreatment, 220, 223–224, 142T  
 communication skills, 70  
 crying in infants, 69T  
 discipline, 72  
 divorce/separation, 102  
 domestic violence, 9, 231  
 early childhood, 70–71  
 early intervention, 9  
 eating disorders, 243  
 friendship development, 70–71  
 infant stimulation, 41  
 injury prevention, 166–167  
 learning problems and disorders, 259, 146T  
 mental health problems/disorders, 9  
 mental retardation, 266–269  
 mood disorders, 282, 286–287  
 moral development, 59  
 oppositional and aggressive behaviors, 300–301  
 parental depression, 307  
 pervasive developmental disorders (PDD), 328–329  
 postpartum mood disorders, 315  
 school readiness, 76, 78  
 self-esteem development, 61  
 sexual abuse and assault, 143  
 sexuality/sexual behavior, 139, 144, 129T  
 sleep fears, 79T  
 substance use problems and disorders, 9, 172, 337  
 various/types of, 9, 10–12T  
 violence prevention, 9, 158

Rett's disorder, 319–320, 322, 366  
 . *See also* pervasive developmental disorders (PDD)

Risk Factors for Dyslexia, 34T

risk-taking behavior  
 in adolescence, 165–167  
 in middle childhood, 93–94, 114–115  
 with substance use problems and disorders, 333

## S

Safe, Quality Child Care, 74–75T  
 Safe School Plan, 136–137T  
 Safety Tips for Surfing the Internet, 111T  
 Satisfaction Survey (Postcard), 13T  
 school avoidance, 199–200  
 School Basic Information Form, 44–45T, 122–123T  
 School Consultation, 21–22T  
 school functioning  
 absenteeism/dropping out, 162  
 adolescence, **160–165**  
 absenteeism, 162  
 achievement/defeat and, 130  
 college transitioning, 164–165  
 dropping out, 162  
 family factors, 162  
 individual factors of, 160–161  
 peer influence, 163  
 school factors, 163–164  
 work transitioning, 164–165  
 early childhood readiness, 74–78, 89–92T  
 middle childhood, **109–115**  
 child-teacher conflicts, 113  
 difficult adjustment, 113  
 high-risk behaviors, 114–115  
 homework problems/tips, 42–43T, 119T  
 interest in learning, 109–110  
 kindergarten options, 111–112  
 performance expectations, 112  
 readiness, 111–112  
 school relationships, 113  
 in various environments, 113  
 self-esteem role, 130

school readiness  
 assessment/testing, 111  
 at-risk identification, 76–78  
 early childhood, 74–78, 89–92T  
 kindergarten options, 111–112  
 middle childhood, 111–112  
 parents' role, 74–76  
 performance expectations, 112  
 resources (organizations and information), 76, 78  
 at risk children, 76–78

school (Tools)  
 Homework Problems, 42–43T  
 Homework Tips, 119T

- How to Address Bullying, 115–116T
- Individualized Education Program (IEP), 77, 120T
- Learning Disabilities: An Action Plan, 145–146T
- My School Sheet, 40–41T, 117–118T
- Parent's Checklist for School Entry and After, 89T
- Preparation for School Entry: Communication Skills, 91–92T
- Preparing Your Child for School, 90T
- Safe School Plan, 136–137T
- School Basic Information Form, 44–45T, 122–123T
- School Consultation, 21–22T
- the school's role in children with
- ADHD (attention deficit hyperactivity disorder) and, 208–209
  - anxiety disorders, 198–199
  - depressive and bipolar disorders, 279
  - domestic violence in the home, 231
  - eating disorders, 242–243
  - learning problems and disorders, 257–258
  - mental retardation, 266–267
  - oppositional and aggressive behaviors, 299–300
  - pervasive developmental disorders (PDD), 327–328
  - school avoidance, 199–200
  - substance use problems and disorders, 336–337
- Selected General Medicine and Behavioral Current Procedural Terminology (CPT) Codes, 9T
- Selected Organizational Resources, 10–12T
- self-esteem
- academic difficulties and, 130
  - achievement/defeat in, 127–128, 130
  - in adolescence, 127–130, 134
  - Assessing and Reinforcing Your Child's Self-Esteem, 94T
  - body image and, 95–96, 134
  - coping abilities and, 94–95
  - developing, 63, 90–92, 94T
  - in early childhood, 60–63
  - friendships and, 104
  - learning problems and disorders and, 254
  - maintaining, 129–130
  - in middle childhood, 90–96, 94T
  - parent-child relationships and, 60–63, 93, 129–130
  - resilience development, 92–93
  - resources (organizations and information), 61
  - risk taking and, 93–94
  - trauma effects on, 63
- Sentence Repetition Screening Test, 77
- separation anxiety disorder, 194, 345
- . *See also* anxiety disorders
- separation/divorce, 101–102, 113–114T
- separation issues in parenting, 54, 57, 148
- sexual abuse
- . *See also* child maltreatment
  - overview, 142–143
  - of adolescents, 142–143
  - bed-wetting in, 96
  - defined, 352
  - eating disorders and, 235
  - preventing, 140T
  - substance use problems and disorders and, 333
- sexual assault, 142–143, 333, 130–131T
- sexuality/sexual behavior, 127–129T
- in adolescents, 134, 136–144, 51T, 127–128T
  - dating violence, 130–131T
  - education/guidance, 51T
  - in middle childhood, 95–96
  - resources (organizations and information), 139, 144, 129T
  - sexual identity, 143–144
  - STDs (sexually transmitted diseases), 143
- siblings
- . *See also* family/families
  - differences among, 20–21
  - in early childhood, 65–68
  - Helping Siblings Adjust to the New Baby, 71T
  - Helping Siblings Get Along, 86–87T
  - and infants, 20–21, 33, 26T, 71T, 86–87T
  - relationships among, 65–68, 86–87T
  - in socialization, 66–67
- SIDS (Sudden Infant Death Syndrome), 24
- Six Rules for Making Responsible Decisions, 95T
- Sleep Diary, 54, 80T
- sleep patterns
- bedtime, 53, 54
  - co-sleeping arrangements, 24–25, 53
  - early childhood, 53–54, 80T
  - Fears in Early Childhood, 78–79T
  - in infancy, 23–25, 70T
  - parental separation issues, 54
- social phobia, 193, 344–345
- . *See also* anxiety disorders
- social withdrawal problem, 318, 364–365
- . *See also* pervasive developmental disorders (PDD)
- socialization, 25–26, 31, 66–67, 69–71

- spanking
    - . *See* discipline
  - Stages of Change and Goals of Intervention, 64T
  - Stages of Substance Use and Suggested Interventions, 61–62T
  - STDs (sexually transmitted diseases), 143
  - stigma, 7, 278
    - . *See also* Mood Disorders: Depressive and Bipolar Disorders
  - Stimulating Environments, 72–73T
  - stress disorders
    - . *See* anxiety disorders
  - substance abuse, 332, 369–370
    - . *See also* substance use problems and disorders
  - substance dependence, 332, 369–371
    - . *See also* substance use problems and disorders
  - substance use problems and disorders, 331–338
    - ADHD (attention deficit hyperactivity disorder) and, 333
    - in adolescence, 170–173, 331, 368, 369, 148T
    - anxiety disorders and, 333
    - assessment/screening, 334
    - binge drinking, 331
    - conduct disorder (CD) and, 333
    - diagnostic criteria, 332, 368–370
    - discussing, 63T
    - disorders associated with, 333
    - in early childhood, 148T
    - eating disorders and, 235
    - family/friends and, 335–336
    - FRAMES principle, 63T
    - How to Help Your Child or Adolescent Resist Drugs, 148T
    - interventions, 333–337, 61–62T
    - in middle childhood, 114–115, 368, 369, 148T
    - mood disorders and, 333
    - oppositional and aggressive behaviors and, 294
    - parental, 53, 173
    - in pregnancy, 34
    - preventing, 114–115, 148T
    - resources (organizations and information), 9, 172, 337
    - risk factors, 115, 132, 172
    - risk-taking behavior and, 333
    - the school’s role in children with, 336–337
    - sexual abuse/assault and, 333
    - stages of, 61–62T
    - statistics, 331
    - substance abuse, 332, 369–370
    - substance dependence, 332, 369–371
    - substance use problem, 332
    - suicide’s relationship, 331
    - symptoms, 332
  - Successful Adaptation to Separation or Divorce, 113–114T
  - Suggested Child Interview Using a Human Figure
    - Drawing As a Conversation Piece, 76–77, 33T
  - suicide
    - in adolescents, 125, 133, 271, 276–277, 291
    - alcohol use in, 331
    - conduct disorder (CD) and, 291
    - interventions, 276–277
    - postpartum depression and, 312
    - referral for services, 133
    - statistics, 271, 331
  - supporting organizations, iii–iv
  - Symptoms of Depression in Adolescents, 126T
- T**
- Talking to Your Teen About Sex and Sexuality, 127–128T
  - Teen Dating Violence, 130–131T
  - teenagers
    - . *See* adolescence
  - television watching, 76, 115, 107–108T
    - . *See also* media
  - temper tantrums, 58
  - temperament
    - in early childhood, 52–53, 58, 62–63
    - in infancy, 18–20
  - time management, 3–4
  - Time Out, 88T
  - Tips for Parenting the Anxious Child, 96–97T
  - tobacco use
    - . *See* substance use
  - toilet learning, 55–56
  - toilet training
    - . *See* toilet learning
  - Top TV Tips: Building a Balanced TV Diet, 107–108T
  - training for providers, 4–5
  - truancy, 162
  - Twenty Free Ways to Love Your Child, 124T

## Y

Vanderbillt ADHD Diagnostic Teacher Rating Scale, 54–56T

verbal abuse, 92, 141–142T  
 . *See also* child maltreatment

video/computer game guidelines, 109–110T  
 . *See also* media

violence  
 . *See also* aggression  
 in adolescence, 167–170  
 dating violence, 130–131T  
 domestic violence, 9, 227–232  
 firearms and, 169–170  
 risk factors, 167–169

violence prevention  
 anger management tools, 102T, 135T, 141–142T  
 How to Address Bullying, 115–116T  
 resources (organizations and information), 9, 158

risk reduction, 168–169  
 Safe School Plan, 136–137T

vulnerable child syndrome, 65  
 . *See also* anxiety disorders

## W

What Can Your Child Do?, 30–31T

Where to Find Resources on Adolescent Sexuality, 129T

“Wit’s End” (Barry), 132–134T

work transitions for adolescents, 148, 164–165

working during adolescence, 156–157

World Wide Web (www.)  
 . *See* Internet

written expression disorder, 253, 356  
 . *See also* learning problems and disorders

## Y

Y-PSC (Pediatric Symptom Checklist-Youth Report), 18T